

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/002,684	10/24/2001	D. Gregory More	102175-200	4640	
34704 75	11/20/2003		EXAM	EXAMINER	
BACHMAN & LAPOINTE, P.C.			KYLE, MICHAEL J		
900 CHAPEL S SUITE 1201	TREET		ART UNIT PAPER NUMBER		
NEW HAVEN,	CT 06510		3676	3676	
			DATE MAILED: 11/20/200	DATE MAILED: 11/20/2003	

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(a)				
Office Action Summary		Application No.	Applicant(s)	84			
		10/002,684	MORE ET AL.	×			
		Examiner	Art Unit				
	The MAILING DATE of this communication a	Michael J Kyle	3676	dross			
Period fo		pours on the cover shoet with the	correspondence ac	707 C33 ·			
THE N - Exter after - If the - If NO - Failui - Any r	ORTENED STATUTORY PERIOD FOR REP-MAILING DATE OF THIS COMMUNICATION is signs of time may be available under the provisions of 37 CFR 1 SIX (6) MONTHS from the mailing date of this communication. period for reply specified above is less than thirty (30) days, a reperiod for reply is specified above, the maximum statutory perior to reply within the set or extended period for reply will, by statuely received by the Office later than three months after the mailing patent term adjustment. See 37 CFR 1.704(b).	136(a). In no event, however, may a reply be ply within the statutory minimum of thirty (30) did will apply and will expire SIX (6) MONTHS frote, cause the application to become ABANDON	timely filed ays will be considered time m the mailing date of this of IED (35 U.S.C. § 133).				
	Responsive to communication(s) filed on 10	November 2003					
		s action is non-final.					
<i>'</i> _	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Dispositi	on of Claims	,					
 4) Claim(s) 1-9 and 21-31 is/are pending in the application. 4a) Of the above claim(s) 28 and 29 is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 1-9,21-27,30 and 31 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement. 							
•	on Papers	·					
10)	The specification is objected to by the Examir The drawing(s) filed on is/are: a) ac Applicant may not request that any objection to th Replacement drawing sheet(s) including the corre	ccepted or b) objected to by the edrawing(s) be held in abeyance. So the ction is required if the drawing(s) is contact the drawing(s) is contact to the contact t	ee 37 CFR 1.85(a). bjected to. See 37 C				
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. §§ 119 and 120							
12)	Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority documents. Copies of the certified copies of the priority documents. Copies of the certified copies of the priority documents. Copies of the certified copies of the priority documents. Copies of the certified copies of the priority documents. Copies of the certified copies of the priority documents. Copies of the certified copies of the priority documents. Copies of the	nts have been received. Ints have been received in Application or the control of the certified copies not received the certified copies not received to priority under 35 U.S.C. § 119 irst sentence of the specification or the certified copies and received the certified copies not received the certified copies and received the certified copies and received the certified copies and certified the certified copies and certified copies are certified to the certified copies and certified copies are certified to the certified copies and certified copies are certified copies.	etion No Ived in this National Ived. Ived: Ive) (to a provisional Iver in an Application Ivereived. Iver in and Iver	al application) Data Sheet. a specific			
Attachmen	t(s)						
2) Notic	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449) Paper No(s)	4) Interview Summa 5) Notice of Informal 6) Other:					

Application/Control Number: 10/002,684 Page 2

Art Unit: 3676

DETAILED ACTION

1. Applicant's request for reconsideration of the finality of the rejection of the last Office action is persuasive and, therefore, the finality of that action is withdrawn.

Election/Restrictions

- 2. Newly submitted claims 28 and 29 directed to an invention that is independent or distinct from the invention originally claimed for the following reasons: Claims 28 and 29 are directed to the species shown in figure 3. The rest of the claims are directed to the species shown in figure 2.
- 3. Since applicant has received an action on the merits for the originally presented invention, this invention has been constructively elected by original presentation for prosecution on the merits. Accordingly, claim 28 and 29 are withdrawn from consideration as being directed to a non-elected invention. See 37 CFR 1.142(b) and MPEP § 821.03.

Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 1-7, 9, 22, 24-27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Halling (U.S. 5,249,814) in view of Harada ("Alloy Design for Nickel-Base Superalloys").

Application/Control Number: 10/002,684 Page 3

Art Unit: 3676

6. Halling discloses an annular seal having a central longitudinal axis forming a seal between interior and exterior volumes (56, 62) when compressed between opposed first and second parallel faces (52, 58). The seal comprises metallic first (14) and second (12) layers where the second layer is integrated with the first layer (column 4, lines 14-17). The first layer is cold formable. The layers extend continuously between first and second portions (40a, 42a) where only the second layer contacts the exterior volume. The seal has a radial section of bellows-like structure. The first and second layers each have first and second surfaces (one surface exposed, the other surface in contact with the other layer). The second layer (12) is integrated by adhesion between the surfaces. Halling discloses the layers as being welded, or fusion bonded by other means, such as brazing (column 4, lines 44-45). Merriam-Websters Collegiate Dictionary, Tenth Edition, defines "Adhesion" as "steady or firm attachment". Welding fits this definition. While the welds are at the ends of the seal, the surfaces are still firmly attached together. Additionally, Halling discloses the first layer (14) first (exposed) and second surfaces (contacting second layer) are substantially inner and outer surfaces, respectively, and the second layer first (contacting first layer) and second surfaces (exposed) are substantially inner and outer surfaces, respectively, wherein a major portion of the second surface of the second layer constitutes an external sealing surface.

7. Halling fails to expressly disclose nickel-based superalloys within the layers. However, Harada teaches the use of nickel-based superalloys for use in gas turbines for the purpose of providing increased creep rupture strength, tensile property, and hot corrosion resistance. Thus it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify Halling's seal layers to consist of a nickel-based superalloy for the purpose of

Art Unit: 3676

providing increased creep rupture strength, tensile property, and hot corrosion resistance as taught by Harada.

- 8. Although Halling discloses that the first and second layers can be made of different materials in order to provide a sealing ring having specific mechanical properties on a specific layer as desired (column 4, lines 22-26), Halling fails to disclose the second layer as having a higher resistance to stress relaxation than the first layer, or that the second layer consists of a cast gamma' hardened nickel based superalloy.
- 9. Hardada discloses the use of a cast gamma' hardened nickel-based superalloy (MAR-M247) within a gas turbine because of the cast gamma' hardened material's superior "creep rupture strength, tensile properties, and hot corrosion resistance [in comparison] to that of commercial alloys". Thus the cast gamma' hardened superalloy as taught by Harada has a higher resistance to stress relaxation/creep than that of commercial nickel-based alloys. Furthermore, since Halling teaches that one layer can be made of a different material than the other layer, it would have been obvious to one having ordinary skill in the art at the time the invention was made to crate the second or outer layer to include a cast gamma' hardened nickel-based superalloy for the purpose of increasing the creep rupture strength, tensile property, and hot corrosion resistance of the second layer of the seal.
- 10. With respect to claims 6 and 25, Halling discloses that the span and compressive strength of the seal depends on the thickness and number of plies within the seal (column 4, line 59). Thus, since the combination of Halling and Harada discloses applicant's invention having similar material configuration, thickness, number of plies, and geometry, the resulting seal would also inherently satisfy the limitation of claims 6 and 25.

Application/Control Number: 10/002,684 Page 5

Art Unit: 3676

11. Claims 8, 21, and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Halling in view of Harada as applied to the claims above, and further in view of Rynders et al (U.S. Patent No. 6,302,402). The combination of Halling and Harada fails to disclose a target operating condition within applicant's specified range. Rynders teaches an annular seal (figure 6g) which operates at a target thermal condition from 871 degrees C – 1093 degrees C (column 4, lines 58) for the purpose of permitting the seal to operate through multiple thermal cycles (abstract) without cracking for use in high-temperature applications. It would have been obvious to one having ordinary skill in the art at the time of applicant's invention to create an annular seal capable of withstanding higher temperatures in the range specified by applicant for the purpose of operating the seal through multiple thermal cycles without cracking in an environment where the material to be sealed have different coefficients of thermal expansion.

12. With respect to claim 21, the creep resistance of the seal made with Harada's materials will be greater than the creep resistance of cold-formed seals of like dimensions during thermal operating conditions. The combination of Halling and Harada discloses applicant's invention except for the creep resistance as being greater specifically at 982 degrees C, but it would have been obvious to one having ordinary skill in the art at the time the invention was made to reach this temperature within a gas turbine as taught by Rynders et al, for the purposes stated above.

Response to Arguments

13. Applicant's arguments filed November 10, 2003 have been fully considered but they are not persuasive. Applicant argues that there is no motivation to combine Halling and Harada, stating that there is no suggestion to use to claimed material in a seal. Examiner respectfully

Application/Control Number: 10/002,684

Art Unit: 3676

disagrees with this argument. Examiner recites the motivation for combining Halling and Harada to be for the purpose of providing increased creep rupture strength, tensile property, and hot corrosion resistance. This reasoning is explicitly stated by Harada on page 1, under the "Introduction" heading. For the reasons listed by Harada, examiner considers obvious to use that material for an application.

14. Applicant argues Rynders teaches away from the combination of Halling and Harada, and that a source of motivation for such a combination is provided. Examiner respectfully disagrees. Rynders is cited to show the capability of a metal seal in the claimed temperature environment. Rynders provides a motivation for why such a temperature range would be desirable (for the purpose of permitting the seal to operate through multiple thermal cycles without cracking for use in high-temperature applications). This motivation is provided in the abstract.

Conclusion

- 15. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).
- 16. A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

Application/Control Number: 10/002,684

Art Unit: 3676

however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

17. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael J Kyle whose telephone number is 703-305-3614. The examiner can normally be reached on Monday - Friday, 8:30 am - 5:00 pm.

18. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Anthony Knight can be reached on 703-308-3179. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9326.

19. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-2168.

mk

Anthony/Knight

Supervisory Patent Examiner

Page 7

Technology center 3600